Vacuum cups - Industries | Food industry at a glance



15

FIPA Vacuum cups for the food industry





Vacuum cups for chocolates - SL-P

- > Extremely flexible and adaptable suction lip for leak-free sealing of three-dimensional product surfaces
- > Low-marking and FDA-approved

Flat vacuum cups - SL-PF

- > Diameter: 16 22 mm
- > See page 58

Bellows vacuum cups - SL-PB

- > Diameter: 12 16 mm
- > See page 125



Vacuum cups for baked goods - SL-B

- > Multiple folds ensure a high degree of height adjustment and gentle product handling
- > FDA-approved
- > Diameter: 34 60 mm
- > See page 126



Detectable vacuum cups for baked goods - SL-BD

- > Detectable, providing optimum assurance that the product is not contaminated by vacuum components
- > Multiple folds ensure a high degree of height adjustment and gentle product handling
- > FDA-approved
- > Diameter: 35 40 mm
- > See page 128



Vacuum cups for eggs - SL-E

- > Bellows vacuum cups in a design specially optimised for handling eggs
- \gt Gentle attachment to the product and a high lifting motion thanks to a long vacuum cup lift
- > FDA-approved
- > Diameter: 33 34 mm
- > See page 129

www.fipa.com



Series | Flat vacuum cups SF

Flat vacuum cups for chocolates - SL-PF

Flat vacuum cups for chocolates - SL-PF





Product Description	Advantage
Flat vacuum cups made of FDA-approved material for handling delicate products with heavily textured surfaces.	 Gentle handling of the most sensitive surfaces Also suitable for three-dimensional products, e.g. chocolates

Technical data


Item no.	Model / Lip dimensions	#	Material / Colour
107.016.008*	SL-PF-16	2.4	SI (tr)
102.018.345*	SL-PF-18		SI (tr)
107.018.004*	SL-PF-18A		SI (tr)
102.022.043*	SL-PF-22	5	SI (tr)

Accessories

	Suitable fittings				
Item no.	M5-male	G1/8-male	G1/8-female	G1/4-male	G1/4-female
107.016.008*		270.132 (p.417)	270.114 (p.422)	270.043 (p.425)	270.178 (p.431)
102.018.345*	270.443 (p.410)	270.238 (p.417)	270.110 (p.422)	270.534 (p.425)	
107.018.004*	270.399 (p.410)	270.033 (p.416)	270.478 (p.421)		
102.022.043*		270.112 (p.419)	270.114 (p.422)	270.113 (p.425)	270.178 (p.431)

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760







Bellows vacuum cups for chocolates - SL-PB





Product Description	Advantage
Bellows vacuum cups made of FDA-approved material for handling delicate products with heavily textured surfaces.	> Gentle handling of the most sensitive surfaces > Also suitable for three-dimensional products, e.g. chocolates


Technical data


Item no.	Model / Lip dimensions	₽	Material / Colour	Number of folds
21.012.079*	SL-PB-12	7	SI (w)	2.5
27.016.001*	SL-PB-16	6	SI (tr)	1.5

Accessories

	Suitable fittings					
Item no.	M5-male	M10-male	G1/8-male	G1/8-female	G1/4-male	G1/4-female
21.012.079*	270.443 (p.410)		270.238 (p.417)	270.110 (p.422)	270.534 (p.425)	
27.016.001*	270.244 (p.410)	270.177 (p.416)			270.451 (p.426)	270.452 (p.431)

Dimensions





Drawing E
Diawing

Item no.	Drawing
21.012.079*	A
27.016.001*	В

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760





Vacuum cups for baked goods - SL-B

Vacuum cups for baked goods - SL-B





Product Description Advantage Bellows vacuum cups especially suitable for baked goods such as waffles, bread, rolls, pizzas and donut. > Large degree of leveling > Gentle attachment to the product > Good holding strength through optimised lip geometry > FDA-compliant

Ordering notes:

Matching assembly aid for special fitting 270.419: Item No. 90.007

Technical data

Item no.	Model / Lip dimensions		Number of folds	Material / Colour
21.034.179*	SL-B-34	12	2.5	SI (tr)
25.038.016*	SL-B-38	24	4.5	SI (tr)
27.039.017*	SL-B-38A	20	5.5	SI (tr)
25.040.043*	SL-B-40	24	4.5	SI (tr)
25.040.058*	SL-B-40A	25	4.5	SI (bl)
21.060.074*	SL-B-60	12	2.5	SI (tr)

Accessories


	☐ Suitable fittings				
Item no.	Without Thread	M6-male	G1/4-male	G1/4-female	G1/2-male
21.034.179*		270.039 (p.414)			
25.038.016*	270.419 (p.441)		270.183 (p.431)	270.182 (p.434)	
27.039.017*	270.419 (p.441)		270.183 (p.431)	270.182 (p.434)	
25.040.043*	270.419 (p.441)		270.183 (p.431)	270.182 (p.434)	
25.040.058*	270.419 (p.441)		270.183 (p.431)	270.182 (p.434)	
21.060.074*					270.372 (p.437)

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760





Vacuum cups for baked goods - SL-B



Item no.	Drawing
21.034.179*	A
25.038.016*	В
27.039.017*	С
25.040.043*	D
25.040.058*	E
21.060.074*	F

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760





Detectable vacuum cups for baked goods - SL-BD

Detectable vacuum cups for baked goods - SL-BD





Product Description	Advantage
Bellows vacuum cups especially suitable for baked goods such as bread, rolls or pizza. The vacuum cup material used is a special mixture that can be detected, for example by metal detectors from SAFELINE, and then separated and discarded.	> Detectable > FDA-compliant

Ordering notes:

Matching assembly aid for special fittings 270.419: Item No. 90.007


Technical data


Item no.	Model / Lip dimensions		Number of folds	Material / Colour
25.035.069*	SL-BD-35	25	4.5	SI (r)
25.040.066*	SL-BD-40	28	4.5	SI (br), SI (bl)

Accessories

	Suitable fittings
Item no.	Without Thread
25.035.069*	270.419 (p.441)
25.040.066*	270.419 (p.441)

Dimensions






Item no.	Drawing
25.035.069*	A
25.040.066*	В

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760







Vacuum cups for eggs - SL-E





Product Description	Advantage	
Bellows vacuum cups made of FDA-compliant silicone in a design specially optimised for handling eggs. Very long vacuum cup lift.	> Good absorption > Great stroke movement	


Technical data


Item no.	Model / Lip dimensions		Number of folds	Material / Colour
27.033.008*	SL-E-33	16	3.5	SI (tr)
27.034.023*	SL-E-34	39	2.5	SI (r)

Accessories

	Suitable fittings				
Item no.	M5-male	G1/8-male	G1/8-female	G1/4-male	G1/4-female
27.033.008*		270.132 (p.417)	270.114 (p.422)	270.208 (p.425)	270.178 (p.431)
27.034.023*	270.443 (p.410)	270.238 (p.417)	270.110 (p.422)	270.534 (p.425)	

Dimensions





Item no.	Drawing
27.033.008*	A
27.034.023*	В

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760





Bellows vacuum cups, 1.5 and 2.5 folds - SV-SB

Bellows vacuum cups, 1.5 and 2.5 folds - SV-SB





Product Description	Advantage	
Bellows vacuum cups, 1.5 and 2.5 folds, for standard packaging machines. Soft, flexible sealing lip for smooth contact. FDA-compliant materials (SI).	> Gentle handling of sensitive products	

Technical data

Item no.	Model / Lip dimensions		Number of folds	Material / Colour
Bellows vacuum cup	s 1.5 folds - SV-SB1			
23.016.232*	SV-SB1-16	6	1.5	SI (tr)
23.030.230*	SV-SB1-30	7	1.5	NR (gr)
Bellows vacuum cups 2.5 folds - SV-SB2				
21.030.030*	SV-SB2-30	13	2.5	SI (tr), NR (bl)
21.040.132*	SV-SB2-40	11	2.5	SI (tr), SI (bI)

Accessories


	Suitable fittings				
Item no.	M5-male	M6-male	M10-male	G1/4-male	G1/4-female
Bellows vacuum cup	s 1.5 folds - SV-SB1				
23.016.232*	270.311 (p.411)	270.312/19 (p.414)			
23.030.230*			270.177 (p.416)	270.451 (p.426)	270.452 (p.431)
Bellows vacuum cups 2.5 folds - SV-SB2					
21.030.030*			270.177 (p.416)	270.451 (p.426)	270.452 (p.431)
21.040.132*					

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760





Bellows vacuum cups, 1.5 and 2.5 folds - SV-SB



Item no.	Drawing	
Bellows vacuum cup	os 1.5 folds - SV-SB1	
23.016.232*	A	
23.030.230*	В	
Bellows vacuum cups 2.5 folds - SV-SB2		
21.030.030*	C	
21.040.132*	D	

F.PA

^{*} When ordering please add the appropriate material code to item no. You will find it in the foldout. Average holding forces for vacuum cups you will find on page 760